


STEP 1

One-Step Dual Acid Disinfectant Cleaner



- Mild acid pH disinfectant cleaner that disinfects, cleans and deodorizes in one labor-saving step.
- Effective against a broad spectrum of bacteria
- Virucidal - kills HIV-1 (AIDS virus)
- Fungicidal
- Inhibits the growth of mold and mildew
- Deodorizes
- Removes hard water deposits
- Recommended for use in hospitals, medical and dental offices, nursing homes, public restrooms, institutions, schools, athletic facilities, food processing plants, food storage areas, kitchens, restaurants and bars, transportation terminals, hotels and motels.



PRODUCTS CHEMICAL COMPANY
6400 Herman Avenue • Cleveland OH 44102
216-281-1155 • 800-233-5078 • fax: 216-281-1186
www.prod-chem.com

Uses

ALL PURPOSE -- ONE-STEP ACID CLEANER
Disinfectant, Virucide, Deodorizer, Sanitizer, Mildewstat
Recommended for hospitals, nursing homes, public areas,
institutions, schools, athletic facilities kitchens, hotels, motels

Specifications

Packaged: Drums, 5- gallon Enviro-pak, 4- 1 gallons
Appearance: Blue liquid
Fragrance: Mint
pH (of concentrate): 1.00
Detergency: Excellent
Quat: Quaternary

This product contains materials subject to the reporting requirements of SARA,
Section 313 Emergency Planning & Right-to-Know Act.

Directions

Apply **STEP 1** to bathtubs, shower stalls, sinks, urinals, toilet bowl surfaces, walls, floors and other hard (inanimate) nonporous surfaces, thoroughly wetting surfaces as required with a cloth, mop, sponge, or soaked or sprayed. For heavily soiled areas, a preliminary cleaning is required. For sprayer applications, use a coarse spray device. Spray with quick full strokes 6-8 inches from surface, agitate. **DISINFECTANT**: Add 3 oz. per gal. of water, to disinfect hard, nonporous surfaces. Treated surfaces must remain wet for 10 minutes. ***VIRUCIDAL**: Add 3 oz. per gal. of water for disinfection against all viruses claimed. Treated surfaces must remain wet for 1 minutes. **MOLD & MILDEW CONTROL**: Add 3 oz. per gal of water to inhibit the growth of mold and mildew on hard, nonporous surfaces. Thoroughly wet all treated surfaces. Let air dry. **SANITIZING NONFOOD CONTACT SURFACES**: Add 0.75 oz. per gallon of water to sanitize. Treated surfaces must remain wet for 60 seconds. **TOILET BOWL DISINFECTANT/CLEANER**: From concentrate, add 3 oz. to toilet bowl and mix. Brush thoroughly over exposed surfaces and under rim, allow to stand for 10 minutes and flush. **HEAVY DUTY CLEANER/DISINFECTANT**: Treated surfaces must remain wet for 10 minutes; for HIV-1 (AIDS virus) and Herpes Simplex Types 1 & 2 treated surfaces must remain wet for 1 minute using the undiluted product. For heavily soiled areas, a preliminary cleaning is required. ***KILLS HIV-1 ON PRECLEANED ENVIRONMENTAL SURFACES/OBJECTS PREVIOUSLY SOILED WITH BLOOD/BODY FLUIDS** in health care settings or other settings in which there is an expected likelihood of soiling of inanimate surfaces/objects with blood or body fluids and in which the surfaces/objects likely to be soiled with blood or body fluids can be associated with the potential for transmission of Human Immunodeficiency Virus Type 1 (HIV-1) associated with AIDS.

Precautions

Keep out of reach of children. Corrosive. Causes eye and skin irritation. Do not get in eyes, on skin or on clothing. Wear goggles or face shield and rubber gloves when handling. Do not breathe spray mist. Harmful or fatal if swallowed. Avoid contamination of food. Manufacturer will not be responsible for any injury, loss or damage if product is used in any manner not in compliance with label directions or if precautions are not observed. For chemical emergency, spill, leak, fire, exposure or accident, call 1-800-535-5053.

First Aid

EYES: Immediately flush with large amounts of water for at least 15 minutes. Remove contact lenses and continue flushing. Immediately get medical attention. **ON SKIN**: Remove and wash contaminated clothing before use. Flush contaminated skin with plenty of water. Get medical attention if irritation persists. **IF SWALLOWED**: Do not induce vomiting or give anything by mouth to an unconscious person. Seek medication attention.

MSDS is available through our web site - www.prod-chem.com